13. In the case of the contractor, after taking the contract, being not willing to carry out his agreement, he shall give at least one month's notice and shall forfeit the security money to Government. The contractor will also be bound to make good to Government any loss which may arise from his failure, or by Government having to purchase the article specified in the contract in the local market at higher rates than those contracted for.

N.B.—No concession of any kind will be allowed on the above contract.

ABDULLA HUSAIN SHERIF,
Superintendent.

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Notification.

PUBLIC TELEPHONE BOOTHS.

Three public telephone booths are at present installed in the following places and the public are allowed to make use of these telephones for Local as well as for Trunk Calls on the Bangalore-Mysore Trunk Line, the Bangalore-Kolar Gold Fields Trunk Line and the All-India Trunk Telephone System; the timings and rates are as noted below until further notice:—

Exchange		Working hours	
Place	Phone No.	Week days	Sundays and Holidays
In Bangalore City.			
1. "A" Station	2,169		
2. Bangalore Power and Lighting Office Exchange	2,490	8 to 21 hours	8 A.M. to 10 A.M. and 4 P.M. to 6 P.M.
In Mysore City.			
1. Mysore Power and Light Office ...	342		

I. *Local Calls.*—A fee of As. 2 for a call of every three minutes duration or fraction thereof, payable in advance.

II. *Trunk Calls.*—A fee of As. 4 in addition to the normal Trunk Call charges for a six minutes conversation to be paid in advance. If the call lasts for only three minutes, half the deposit will be refunded.

(*a*) These rates are applicable for calls made during working hours;

(*b*) The unit period signifies calls of three minutes duration only;

(*c*) In both the cases, *i.e.*, whether for a Local or Trunk call, the charges for two unit periods have to be paid in advance, subject to the refund of the charges as stated above.

III. But when calls are made from Public Call Booth during closed hours, an additional late fee of As. 8 will be levied on all calls whether Local or Trunk.

IV. Telephone Trunk Calls addressed to Public Call Offices will be accepted provided they are particular person calls. If the required person is not present at the Public Call Office at the time a Call is received, the call shall be treated as ineffective under the ordinary rules.

Facilities are also provided for overseas Radio Telephone Calls, Indo-Ceylon and Indo-Burma Trunk Calls. In all cases, the charges have to be prepaid.

S. G. FORBES,
Chief Electrical Engineer.

Abstract Notification dated 20th November 1939.

ELECTRIC CEILING FANS AND HOT WATER BOILERS.

Attention is drawn to this office Notification, dated 20th November 1939, inviting tenders for the above work, published in Part VI, pages 2359-2360 of the *Mysore Gazette*, dated 23rd November 1939. The last date of receiving tenders is 10th December 1939.

Abstract Notification dated 22nd November 1939.

CARTING CONTRACT FOR 1939-40.

Attention is drawn to this office Notification, dated 16th November 1939, inviting tenders for the above work, published in Part VI, page 2360 of the *Mysore Gazette*, dated 23rd November 1939. The last date of receiving tenders is 2nd December 1939, 2 P.M. and the earnest money required is Rs. 200.

M. HAYATH,
For *Chief Electrical Engineer.*

OFFICE OF THE DEPUTY CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Abstract Notification dated 14th November 1939.

Subject:—GAZETTE NOTIFICATION G. N. 14.

CEMENT ASBESTOS SHEETS.

Attention is drawn to this office Notification dated 14th November 1939 inviting tenders for the above work, published in Part VI, page 2339, of the *Mysore Gazette*, dated 16th November 1939. The last date of receiving tenders is 28th November 1939, 12 NOON.

M. HAYATH,
Deputy Chief Electrical Engineer.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, MYSORE.

Notification dated 24th November 1939.

1. Sealed tenders in triplicate will be received at the Office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rupees forty-five (Rs. 45) is required to be sent along with the tender in cash or currency or cheque drawn in favour of the Superintendent, Power and Lighting, Mysore or order being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the Office of the undersigned at all working hours. The same will be made available on payment of Rs. 3 per set, if required.

4. The tenders should be drawn up strictly in conformity to the specifications furnished, writing out the rate at which each item of work will be executed in figures as well as in words failing which no cognisance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the Department, including painting and colour washing to suit the finish of the walls, etc.

5. Materials to be used on the work should be of best quality conforming to the specification of this Department and B. S. or A.I.E.E. specifications. Mention should also be made of the manufacture and the catalogue numbers of the materials offered. Teakwood planks to be used on the work should be free from knots, cracks and should be well seasoned. No planks less than 12″ in width will be permitted to be used unless it is to make up the difference in size of the board required. Only lap joints should be adopted in all cases.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week, from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I.E.E. He should also be prepared to adopt changes in the location of lighting fixtures, control points, etc., that might be desired by the undersigned during the progress of the work without any obligation if the tender is not materially affected thereby. It should also be noted that control switches, wall plugs, etc., should be grouped and located at the point shown in the plan mounting the board flush with the surface.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to the above specifications or is not satisfactory as regards workmanship.

9. Special care should be taken to afford metallic continuity and to provide efficient earthing to the installation as the system of wiring adopted is in lead covered cables.

10. *Name of the work.*—Installing Electric Lights, etc., to the Mortuary attached to the Medical College, Mysore.

11. *Last date and time of receiving the tender.*—At 3 P.M. on the 11th December 1939.

12. *Last date and time for opening the tender in public.*—At 4 P.M. on the 11th December 1939.

13. A period of eight weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the Department with service on the due date, the Department will arrange to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency, at the risk of the tenderer.

14. The firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 Calendar months from the date of handing over charge to this Department while uninterrupted power supply is maintained. Further, it will be obligatory on the part of the firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

15. *Details of work.*—The quantities given in the annexed statement are not guaranteed and are subject to variation at the time of executing the work.

INSTALLING ELECTRIC LIGHTS TO THE MORTUARY ATTACHED TO THE MEDICAL COLLEGE, MYSORE.

Serial No.	*Particulars.*	*Quantity.*
	PART I.—WIRING OUTLETS.	
1.	Supplying, fixing and wiring iron clad cut outs 30 amps. on suitable board in the Museum attached to the Dissection Hall, tapping from the existing mains using No. 7/.036 S.W.G. insulated wire and accessories ..	2
2.	Supplying and running sub mains in No. 7/.036 S.W.G. twin conductor bonded lead-covered cable using suitable T.W. fillets and accessories ..	120 ft.
3.	Supplying, fixing and wiring T. W. board 24″×18″×1″ with battens and rear board equipping it with a D.P. iron clad switch 30 amps. with fuses, one 3-way D.P.H.D. pattern, 10 amps. per way, distribution box with 10 amps. circuit switches with reinforced bakelite cover, enclosing the full equipment in a box made of $\frac{3}{8}$″ thick compressed cement asbestos sheet mounted in a niche and provided with T. W. panelled shutters with pin head glass panes and lever brass 1″ lock and key, etc., using No. 7/.036 S.W.G. and 7/.029 S.W.G. insulated wires and accessories.	
4.	Supplying, fixing and wiring for lighting outlets complete with 5 amps. surface type S. P. control switch all white with reinforced bakelite cover, T. W. fillets, metal junction boxes and No. 7/.029 and 3/.036 S.W.G. twin conductor lead-covered bonded cable for mains and taps respectively and accessories (7 controls to be grouped)	
5.	Do for ceiling fan outlet complete with suspension clamp hook board for regulator, 2 plate bakelite ceiling rose, etc., as per above specification (regulators to be fixed along with lighting control)	
6.	Do for wall plug outlets complete with 5 amps., 2 pin wall plugs all white with plug, etc., as per specification above	
7.	Do for wall plug outlets complete with 5 amps., 2 pin wall plugs all white with plug using $\frac{3}{4}$″ heavy guage welded conduit embedded in the floor and wall using No. 7/.029 and 3/.036 S.W.G. twin conductor cable with bonded cables and insulated wires for mains and taps respectively, metal junctions, boxes and accessories. (On the mortuary table).	
8.	Earthing	
	PART II.—LIGHTING FIXTURES, ETC.	
1.	Supplying, fixing and wiring Hailware pendant fittings H. 3 with 12″ opal glassware using 2 plate bakelite ceiling rose, flexible cord, B.C. lamp-holders and accessories	
	Do ceiling type with 10″ opal glassware B.C. lamp-holder, etc., as above	
	Do $\frac{5}{8}$″ nickel plated perpendicular bracket 9″ projection with B.C. lamp-holder, 6″×3$\frac{1}{4}$″ opal globe, etc., as per above	
	Supplying, fixing and wiring ceiling fans 220-volts, 60-cycles, 56″ sweep 3 blades complete with canopies down rod, variable speed regulator, etc., finished in white using necessary accessories. (Manufacture of the fan should clearly be stated)	

Serial No.	*Particulars.*	*Quantity.*
5.	Supplying and fixing lamps 150 watts, 220-volts, B.C. gas filled	6
6.	Do do do 100-watts	3
7.	Do do do 60 watts	1

M. M. ALI KHAN,
Superintendent.

OFFICE OF THE GENERAL SUPERINTENDENT, SIVASAMUDRAM.

Notification No. 2, dated 11th November 1939.

It is hereby notified for the general information that the undermentioned amounts are outstanding in the Deposit accounts of this section unclaimed from a long period, and the persons noted against each amount having a claim may appear in this office on any working day between 8-30 and 11-30 A.M. and from 1-30 to 4-30 P.M. to receive payment.

If no claim is made by the concerned persons within one month from the date of publication of this notification, the amount will be credited to Government as per Article 223, Mysore Civil Account Code, Vol. I and para 899 of the Mysore Electrical Account Code, Vol. II.

Serial No.	Name of person, Provident Fund credited to deposits	Month and year of outstanding	Account No.	Amount
				Rs. a. p.
1	Seshappa	November 1936	506	6 13 7
2	Chick Kalagappa	Do	504	8 11 10
3	Arunagiri	February 1937	111	37 10 8
4	Chinnarangadu	Do	122	18 3 5
5	Dasa	Do	132	8 15 8
6	Antoniammal	Do	220	2 8 7
7	Madee	Do	274	42 11 4
8	Bapoo	Do	280	9 0 0
9	Anslow, J. H.	Do	281	3 3 0
10	Bandadu	Do	286	3 2 7
11	Valli	Do	289	1 6 1
12	Naramaniammal	Do	290	2 2 5
13	Arokiaswami	Do	291	1 8 2
14	Armugam	Do	293	1 5 1
15	Jagannath	Do	884	2 8 7
16	Kenchaiah	Do	888	1 7 0
17	Mada	Do	984	4 6 11
18	Abdul Rahiman	Do	139	3 9 7
	Miscellaneous Deposits of Contractors and Piece Workers.			
19	Mari Gowda	September 1936	..	3 14 0
20	Chinnappa and Kuppiah	October 1936	..	2 1 0
21	T. S. Nagaraja Rao	Do	..	2 3 0
22	Aswathanaraniah	Do	..	11 10 0
23	B. Srinivasa Iyengar	Do	..	8 12 0
24	Naganna	Do	..	7 4 0

R. V. PATANKAR,
General Superintendent.

MYSORE STATE RAILWAY.

OFFICE OF THE EXECUTIVE ENGINEER, S. T. RAILWAY CONSTRUCTION, SAGAR.

Abstract Notification dated 18th November 1939.

TENDER FOR GRAVEL SECTION OVER ALL BANKS AND IN CUTTINGS ON S. T. RAILWAY.

Attention is drawn to this office Notification, dated 17th November 1939, inviting tenders for the above work, published in Part VI, pages 2367-2368 of the *Mysore Gazette*, dated 23rd November 1939. The last date of receiving tenders is 8th December 1939 (3 P.M.).

M. R. KRISHNAMURTHI,
Executive Engineer.